



**International Journal of Recent Development in Engineering and Technology**  
Website: [www.ijrdet.com](http://www.ijrdet.com) (ISSN 2347 -6435 (Online)), Volume 15, Issue 6, June 2026

## Autonomous Fire Fighting Robot

Sahil Raghuvanshi<sup>1</sup>, Sargam Chouksey<sup>2</sup>, Anjali Verma<sup>3</sup>, Urvashi Goswami<sup>4</sup>, Dr. Soheeb Munir<sup>5</sup>

<sup>1-4</sup>Students, <sup>5</sup>Professor, Department of Electronics and Communication Engineering,

Bachelor of Technology Scholars Lakshmi Narain College of Technology & Science, Bhopal, Madhya Pradesh-462022

**Abstract-** The increasing frequency of fire-related incidents in industrial, commercial, and residential environments has created a growing demand for rapid and safe emergency response systems. Conventional firefighting methods often require personnel to enter hazardous environments characterized by extreme temperatures, toxic gases, poor visibility, and structural instability. Such conditions significantly increase the risk of injuries and fatalities among firefighters. This research presents the development of an Autonomous Fire Fighting Robot equipped with fire detection, obstacle avoidance, and fire suppression capabilities. The proposed robot is designed to identify the presence of fire, autonomously navigate toward the affected area, avoid obstacles encountered during movement, and extinguish the fire using an onboard suppression mechanism. The system integrates flame sensors, ultrasonic sensors, a microcontroller-based control unit, motor drivers, and a water pumping system to create an intelligent robotic platform capable of operating with minimal human intervention. The proposed solution aims to improve operational safety, reduce response time, and support emergency personnel in hazardous situations.

**Keywords:** Autonomous Robotics<sup>1</sup>, Fire Detection<sup>2</sup>, Fire Suppression<sup>3</sup>, Obstacle Avoidance<sup>4</sup>, Embedded Systems<sup>5</sup>, Emergency Response<sup>6</sup>.

---

### I. INTRODUCTION

Fire accidents remain one of the most destructive emergencies affecting modern society. Every year, thousands of lives are lost and billions of dollars in property damage occur as a result of residential fires, industrial accidents, electrical malfunctions, and hazardous material incidents. While advances in building safety and fire detection<sup>2</sup> systems have improved emergency preparedness,

the task of suppressing fires still relies heavily on human intervention.

Firefighters frequently operate in environments that are unpredictable and dangerous. Dense smoke reduces visibility, elevated temperatures affect mobility and endurance, and collapsing structures create life-threatening conditions. In many situations, emergency responders are required to enter unknown environments with limited information regarding the location and intensity of the fire.

The emergence of robotics and embedded technologies has opened new opportunities for automating hazardous tasks. Autonomous firefighting robots have the potential to act as first-response systems capable of entering dangerous zones before human personnel. Such robots can detect fires, gather environmental information, navigate through obstacles, and initiate suppression procedures while reducing risks to human life.

This research focuses on the design and implementation of an autonomous robotic platform capable of detecting and extinguishing fire while simultaneously avoiding obstacles encountered in real-world environments.

---

### II. BACKGROUND AND NEED FOR STUDY

Despite continuous improvements in firefighting equipment and safety procedures, emergency response<sup>6</sup> personnel continue to face significant occupational risks. Fires occurring in warehouses, manufacturing plants, chemical storage facilities, tunnels, and high-rise buildings often create conditions that are difficult for humans to access immediately.

Several factors contribute to the challenges faced by firefighters:

- Rapid fire propagation.
- Limited visibility due to smoke.
- Presence of toxic gases.
- Structural collapse risks.
- Explosive materials and electrical hazards.
- Difficult access routes.

Industrial facilities present an even greater challenge because of the presence of combustible materials, fuel storage systems, and hazardous chemicals. Delays in reaching the origin of a fire can result in exponential growth of damage and increased danger for rescue teams.

Autonomous firefighting robots offer a practical solution by acting as mobile fire suppression<sup>3</sup> units capable of operating in environments where human access is restricted or unsafe. Such systems can provide early intervention, thereby reducing damage and supporting emergency personnel.

---

### III. PROBLEM STATEMENT

Traditional firefighting operations depend heavily on human presence in hazardous locations. Although firefighters are trained to operate under extreme conditions, direct exposure to dangerous environments remains unavoidable in many situations.

The major challenges include:

- Risk of injury and fatality among emergency responders.
- Delayed access to confined or obstructed areas.
- Difficulty locating fire sources in smoke-filled environments.
- Reduced efficiency in hazardous industrial zones.
- Limited availability of automated first-response systems.

The challenge addressed in this research is the development of a robotic platform capable of autonomously locating and extinguishing fires while safely navigating through environments containing obstacles.

---

### IV. RESEARCH OBJECTIVE

The primary objectives of the proposed system are:

1. To develop an autonomous robotic platform capable of detecting fire sources.
2. To implement obstacle avoidance<sup>4</sup> functionality for safe navigation.
3. To integrate an onboard fire suppression<sup>3</sup> mechanism.
4. To minimize human involvement in hazardous firefighting operations.
5. To improve emergency response<sup>6</sup> effectiveness.
6. To demonstrate the feasibility of robotic assistance in disaster management.

---

### V. LITERATURE SURVEY


Recent developments in robotics have encouraged researchers to investigate autonomous systems for disaster response applications. Existing firefighting robots generally focus on one or more of the following functions:

- Fire detection<sup>2</sup>.
- Remote-controlled operation.
- Obstacle avoidance<sup>4</sup>.
- Environmental monitoring.
- Fire suppression<sup>3</sup>.

Many commercially available systems require human operators for navigation. While such robots reduce direct exposure to hazards, they remain dependent on operator skill and communication links.

Research studies have demonstrated the effectiveness of ultrasonic sensors for obstacle detection and flame sensors for fire localization. However, integrating these technologies into a compact and affordable platform suitable for educational and industrial applications remains an area of active development.

The proposed system contributes by combining autonomous navigation, obstacle avoidance<sup>4</sup>, and fire suppression<sup>3</sup> within a single low-cost robotic framework.



---

## VI. SYSTEM ARCHITECTURE

The architecture of the proposed system consists of four interconnected modules:

### 6.1 Fire Detection Module

The fire detection<sup>2</sup> subsystem continuously monitors the surrounding environment using flame sensors. The sensor detects infrared radiation produced by flames and transmits information to the control unit.

### 6.2 Navigation Module

The navigation subsystem controls the movement of the robot through differential wheel motion. The robot adjusts its direction based on sensor feedback.

### 6.3 Obstacle Avoidance Module

Ultrasonic sensors measure distances between the robot and nearby objects. When an obstacle is detected within a predefined threshold distance, corrective navigation commands are generated.

### 6.4 Fire Suppression Module

A water reservoir and pump assembly are integrated into the robotic platform. Upon reaching the target location, the suppression mechanism directs water toward the fire source.

---

## VII. METHODOLOGY

The operational methodology of the robot follows a sequence-based decision process.

### Step 1: Environmental Monitoring

The robot continuously scans the environment using flame and distance sensors.

### Step 2: Fire Identification

Sensor readings are analyzed by the microcontroller to determine the presence and approximate direction of a fire source.

### Step 3: Route Selection

The robot initiates movement toward the detected fire while simultaneously monitoring obstacles.

### Step 4: Collision Prevention

Obstacle detection data are continuously processed. Alternative paths are selected whenever obstructions are encountered.


### Step 5: Fire Suppression<sup>3</sup>

Upon reaching an effective operating distance, the water pump is activated.

### Step 6: Verification

The robot evaluates sensor readings after suppression to determine whether the fire has been extinguished successfully.

**OPERATIONAL METHODOLOGY OF THE FIRE-FIGHTING ROBOT (Sequence-Based Decision Process)**



The autonomous robot is deployed immediately after fire detection<sup>2</sup>.

**Operational Sequence**

1. Detection of the fire source.
2. Autonomous movement toward the affected area.
3. Obstacle avoidance<sup>4</sup> around storage racks.
4. Identification of the fire location.
5. Activation of the suppression system.
6. Reduction of flame intensity before human intervention.

**Expected Impact**

- Faster response time.
- Reduced property damage.
- Enhanced responder safety.
- Improved emergency management efficiency.

This case study demonstrates the practical value of autonomous firefighting robots as first-response systems in industrial facilities.

**VIII. CASE STUDY: INDUSTRIAL WAREHOUSE EMERGENCY**

Consider a warehouse containing cardboard packaging materials, wooden pallets, electrical distribution panels, and stored consumer products. An electrical fault occurring within a storage section initiates a localized fire.

Within minutes, flames begin spreading through nearby combustible materials. Dense smoke reduces visibility and makes it difficult for personnel to identify the exact location of the fire.

**Challenges Faced by Human Responders**

- Narrow access pathways.
- Poor visibility.
- Risk of rapid fire spread.
- Potential structural damage.
- Delayed arrival at the source of ignition.

**Deployment of the Proposed Robot**

**IX. EXPERIMENTAL EVALUATION**

Testing was conducted under controlled laboratory conditions designed to simulate indoor fire emergencies.

**The robot demonstrated:**

- Reliable flame detection.
- Stable navigation performance.
- Effective obstacle avoidance<sup>4</sup>.
- Successful fire suppression<sup>3</sup> of small-scale flames.
- Consistent response behavior.

The integrated operation of all subsystems confirmed the feasibility of autonomous firefighting assistance in structured environments.

---

#### X. APPLICATIONS

The proposed system can be applied in:

- Industrial manufacturing plants.
- Warehousing facilities.
- Educational institutions.
- Hospitals.
- Shopping complexes.
- Airports.
- Railway stations.
- Power generation facilities.
- Defense installations.
- Smart city infrastructure.

---

#### XI. ADVANTAGES

The proposed robotic system offers several advantages:

- Reduced firefighter exposure to danger.
  - Faster initial fire response.
  - Autonomous operation.
  - Low-cost implementation.
  - Scalability for larger systems.
  - Improved operational safety.
  - Enhanced disaster management capability.
- 

#### XII. FUTURE ENHANCEMENTS

Future versions of the system may incorporate:

- Thermal imaging technology.
- Artificial intelligence-based navigation.
- Real-time video transmission.
- Internet of Things (IoT) connectivity.
- Smoke and gas detection sensors.
- Autonomous mapping and localization.
- Multi-robot cooperative firefighting.
- Cloud-based monitoring platforms.

These enhancements can significantly improve operational effectiveness in complex real-world environments.

---

#### XIII. CONCLUSION

The Autonomous Fire Fighting Robot with Intelligent Obstacle Avoidance<sup>4</sup> represents an innovative approach to improving safety during fire emergencies. By integrating fire detection<sup>2</sup>, autonomous navigation, obstacle avoidance<sup>4</sup>, and suppression capabilities into a single robotic platform, the system provides an effective tool for assisting emergency responders in hazardous environments.

The research demonstrates that robotic technologies can play a critical role in reducing risks associated with firefighting operations while improving response efficiency. As advances in sensing, artificial intelligence, and autonomous systems continue, firefighting robots are expected to become an increasingly important component of modern disaster management strategies.

#### REFERENCES

- [1] L. Guruprasad, M. U. Yashwanth, P. Vydyanath Prasad, B. V. Shreevara, and Gangappa, "Autonomous Fire Fighting Robot," *International Journal of Research in Engineering, Science and Management*, vol. 2, no. 11, pp. 318-321, 2019.



**International Journal of Recent Development in Engineering and Technology**

**Website: [www.ijrdet.com](http://www.ijrdet.com) (ISSN 2347 -6435 (Online)), Volume 15, Issue 6, June 2026)**

- [2] A. Kareem, J. P. Balaji, R. V. Krishna, M. Jibraan, A. R. M. G., and M. T. Habeb, "FI-BOT Smart Fire-Fighting Robot Using Arduino and Sensors," *International Research Journal on Advanced Science Hub*, vol. 7, no. 1, 2025.
- [3] R. R. Chaudhari, S. R. Kewate, and C. R. Chaudhari, "Prototype of Fire Fighting Robot," *International Journal of Scientific Research in Science and Technology*, vol. 11, no. 6, 2024.
- [4] P. R., M. V. K., L. S. Vinayaka, V. M., and A. Vani, "Fire Detection and Extinguisher Robot," *International Journal of Advance Research, Ideas and Innovations in Technology (IJARIIT)*, vol. 5, no. 2, pp. 1120-1124, 2019.
- [5] V. Vimala Bharathi and M. V. D. Prasad, "GSM Based Fire Sensing and Extinguishing Robot," *International Journal of Science and Research (IJSR)*, vol. 2, no. 4, pp. 354-357, 2013.
- [6] S. C. Saritha and B. P. Harish, "Firefighting Robot with Face Detection System," *International Journal of Engineering Research and Technology (IJERT)*, vol. 9, no. 1, pp. 338-342, 2020.